EU CO₂-based tolling – Eurovignette Directive and EFC standards

Jesper Engdahl Convenor of CEN/TC 278/WG 1 & ISO/TC 204/WG 5 | 15 October 2024





Outline

- 1. Overview of standards and Electronic Fee Collection (EFC) standardization
- 2. Impact of the updated Directive <u>1999/62</u> on EFC standards
- 3. Overview of CO_2 -related requirements from EU legislation that stem from the updated Directive <u>1999/62</u> and how these are supported by EFC standards
- 4. Examples of the calculation of the CO2 emission classes for heavy-duty vehicles (HDVs)
- 5. Update on new developments since Feb 2024

1. Overview of standards and EFC standardization





Overview of standards and EFC standardization

• What is a standard?

 A document approved by a recognized standardization body (CEN, ISO,..), intended to be used repeatedly, creating synergies and reducing costs, maintained to keep abreast with market developments and technology advancements



- Standards are not laws but sometimes referred to in legislation. For example, 8 CEN EFC standards are referred to in the European electronic toll service (EETS) legal acts (<u>Directive</u>, <u>Delegated Act</u> and <u>Implementing Act</u>)
- EFC standardization
 - Create and ensure the long-term stability of the EFC ecosystem, support agreement, open market and interoperability
 - 50+ published standards, technical specifications and technical reports System architecture, vocabulary, data dictionary, information exchanges for charging and compliance checking, security, testing for conformance assessment
- For more details see Introduction to standards on electronic fee collection (EFC)

2. Impact of the updated Directive 1999/62 on EFC standards





Directive 1999/62



European Union (EU) <u>Directive 1999/62</u> (aka the Eurovignette Directive) sets out how EU Member States can charge vehicles for using their road infrastructure, with the aim to:

- establish an internal market in road transport with a level playing field and ensure uniform and nondiscriminatory application of rules
- strengthen the application of the user and polluter pays principles
- contribute to the financing of road infrastructures
- tackle congestion and the negative environmental and health impacts of air pollution and noise
- boost transport decarbonization by contributing to the implementation of the <u>Paris Agreement</u> on climate change and the EU's plans to reduce CO₂ emissions



Directive 1999/62 and EFC standardization





The Directive does not refer to EFC standards

- No automatic review procedure or request to update standards from the EC
- EFC stakeholders want the updated Directive to be underpinned by standards
- CEN EFC standardization group launched a review and updating procedure to
 - · Identify the relevant changes in the new directive
 - Identify the need for changes in the standards
 - Work out, agree and implement the solutions



Main changes to the Directive 1999/62 and their impacts on EFC standards

Change	Impact on EFC standards
All kinds of vehicles with at least four wheels (buses, heavy- and light-duty vehicles)	
In principle, time-based user charges are no longer permitted for HDVs from 25 March 2030	None, already supported
Detailed regulations on time-based user charges for all types of vehicles	, , , , , , , , , , , , , , , , , , , ,
Regulations on congestion charges	
 HDVs are to be categorized into one of five CO₂ emission classes Infrastructure charge may be varied according to CO₂ emission class An external cost-charge may be added for CO₂ emissions and be modulated depending on the CO₂ emission class 	Yes, current CO ₂ class scheme is based on a static structure based on CO ₂ g/km value ranges The new classification scheme is based on a CO ₂ emission class (CO ₂ g/tkm) and the classification of the vehicle is reassessed every six years



New CO₂ emission scheme in a nutshell

Example Truck:

Specific CO₂-Emissions: 41,6 g/tkm
Vehicle sub-group: 5-LH (tractor unit, >16t, 4 axles, sleeper cab, ≥ 265 kW)
Initial Vehicle Registration date: 01.08.2021

Reference CO₂ emissions for the period of 1 July 2019 to 30 June 2020 for vehicle sub group 5-LH: 56,60 g/tkm CO₂ g/tkm

Initial classification 01.08.2021:


•CO₂-limit for reporting period 2021: 53,77 g/tkm •shortfall: -22.63%

= CO₂-Class 3

1st reclassification 01.08.2027: •CO₂-limit for reporting period 2027:

•shortfall:

44,71 g/tkm -6,96% <u>= CO₂-Class 2</u>



• CO₂ emission class periodically reassessed

30												
	2019	2020	2021	2022	02	02,	02	2026	2027	2028	2029	2030

[Source: based on slide of CEN/TC 278/WG 1 task force on the Eurovignette]



Relevant data for new CO2 emission classification scheme

Relevant for toll calculation according to new directive

• CO₂ emission class (1-5)

- The CO₂ emission class is the only new relevant attribute to calculate the toll adhering to the new directive
- The toll may still be differentiated according to other parameters like axles

Relevant for classification and reclassification of vehicle

- Vehicle specific CO₂ value in [g/tkm]
- Initial vehicle registration date
- · Vehicle group and sub-group
- Reference CO₂ value for vehicle sub-group

- Classification and re-classification is relevant to the vehicle owner and his TSP
- TCs have to consider a change of the emission class after re-evaluation when calculating the toll
- Enforcement operators may require this information to check the TSPs provided vehicle classification



Overview of impacts on standards

Change	Impact on EFC standards					
CO ₂ emission classes (1-5)	Yes, should be supported for exchange on the white list and over the DSRC interface					
Vehicle-specific CO ₂ emission value [g/tkm]	Yes, should be supported for exchange on the white list for					
Initial vehicle registration date	toll calculation and for enforcement purposes					
Vehicle group or sub-group						
Reference CO ₂ value for vehicle sub-group	No, this information is available in published EU legislative acts for each vehicle group and sub-group. The vehicle sub-group is determined by base values <i>vehicle</i> <i>group</i> , <i>vehicle type</i> , <i>axle or tyre configuration</i> , <i>cabin type</i> and <i>engine power</i> .					
Vehicle identification number (VIN)	Yes. It is already exchangeable via "Provide User Data" but it is currently not part of the nominal vehicle attributes, which will also be supported in the future					




Updating approach and relationship between relevant standards

Updating approach

- 1. EFC data dictionary ensures consistency across the EFC suite of standards
- 2. Information exchanges-related standards
 - a) Toolbox standards
 - b) Profile standards
- 3. Test standards certification and homologation

The actual approach has been slightly adapted due to ongoing revisions




Relationship between relevant standards



Summary

- Standards are maintained to be kept up to date
- EFC standards are being updated with extended vehicle related-data (CO₂ emissions...) to underpin the new Directive
- 16986 Enquiry version includes the relevant data types to support the new Directive
- Enquiry and Formal Vote versions are also publicly available may be relevant to consider in agreements
- The legislator decides whether to refer to (updated) standards in legislation
- The recast of the EETS legislation refers to dated versions of standards updated versions are not automatically adopted in the EETS legislation

CEN EFC standards referenced in the EETS legislation



3. Overview of CO_2 -related requirements from EU legislation that stem from the updated Directive 1999/62 and how these are supported by EFC standards





Introduction

- EU legal acts are published in the Official Journal of the European Union and made available via the <u>EU law</u> website. The date of entry into force is specified in the respective legal act
- EU legal acts are updated from time to time, either through recasts or amendments. A recast of legal act brings together in a single new act a legislative act and all the amendments to it. The new act passes through the full legislative process and repeals all the acts being recast
- Example: Directive 2022/362 refers to Regulation (EU) 2017/2400, Annex I, Table 1 vehicle groups for vehicles of category N. Regulation 2017/2400 has been subject to amendments
 - Text of 12.8.2020: vehicle groups: 0-17
 - Text of 12.8.2022: vehicle groups: 0-19
- Hence, the EU CO₂ tolling-related legislation has evolved since the publication of the Directive 1999/62 on 24.03.2023
- Other changes or amendments to EU CO₂ tolling-related legal acts are likely to happen in the next few years, e.g. the current legal initiative on the trailer amendment ...



Approach used to present the inventory of requirements 1(3)

The following slides build on and provide further details on the relevant data for new CO₂ emission classification scheme

- 1. CO₂ emission class: The only new relevant data to calculate the toll according to the updated Directive <u>1999/62</u>
- 2. Relevant parameters for CO₂ emission classification and reclassification of the heavy-duty vehicle (HDV)
 - a) vehicle specific CO₂ value in g/tkm
 - b) initial vehicle registration date
 - c) vehicle group and sub-group
 - d) reference CO_2 emissions per vehicle sub-group



used to present the inventory of	f requirements 2(3	3)		vehicle g	groups		
	Regula	tion 201	7/2400 Axle configuration	Chassis configuration		l echnicatly permissible maximum laden mass (tons)	Vehicle group
arameters for verification of the heavy-duty group			Axle co	Chassis (t connicatify per laden r	
guration			4 × 2	Rigid lorry	> 3,	,5 –7,5	(0)
onfiguration				Rigid lorry (o tractor) (**)	or > 7,	5 - 10	1
le maximum laden weight				Rigid lorry (o tractor) (**)	or > 1	0 - 12	2
wer	Table Table Table Vehicle sub-g			Rigid lorry (o	or > 1	2 - 16	3
	Heavy-duty vehicles	Cab type	Engine power		Vehicle sub-group (sg)		
lentification number and licence plate	Rigid lorries with axle configuration 4 × 2 and technically permissible maximum laden mass > 16 tonnes	All	< 170 kW		4-UD		
ssumed to be known to the audience, and		Day cab	≥ 170 kW	≥ 170 kW			
further discussed in this presentation		Sleeper cab	≥ 170 kW	and < 265 kW			
		Sleeper cab	≥ 265 kW		4-LH		
	Rigid lorries with axle configuration 6×2	Day cab	All		9-RD		

Approach us 1 4 . . . \sim

- 3. Relevant para vehicle sub-g
 - a) axle config
 - b) chassis col
 - c) permissible
 - d) cab type
 - e) engine pow

NB: vehicle ide number are as therefore not for



Approach used to present the inventory of requirements 3(3)

Columns in the table below

- What structured according to the previous slides
- Reference to EU legal provisions (legal act and relevant part within the act)
- Reference to how these are underpinned by EFC standards (reference to the clause in the main document)
 - Data dictionary (draft submitted for final approval vote, i.e. FprEN ISO/FDIS 17573-3:2024, ed 2)
 - Interoperable application profiles for information exchange between Service Provision and Toll Charging (EN 16986:2024, reference to the information and table)
 - Vehicle holder data exchanges: User parameter request (table 11) + User parameter response details (table 16)
 - Exception list entries extended
 - 12855's extended Nominal vehicle parameters (table 15)
 - 16986's constrained Nominal vehicle parameters (table 41; NominalVehicleParameters)
 - AduReasonCode (table 5) and ICS Proforma (Annex B): also extended but not discussed in the slides below



Inventory of requirements 1(4)

What	EU legal provisions	FprEN ISO/FDIS 17573-3:2024	EN 16986:2024
1) CO ₂ emission class	Directive (EU) <u>2022/362</u> and Directive <u>1999/62/EC</u> Article 7ga (2) defines the CO ₂ emission classes for heavy-duty vehicles (slide 24 provides further details) <u>Directive 1999/37/EC</u> , Annex I, (V.10) CO ₂ emission class of heavy-duty vehicles determined at the moment of first registration	5.2.8 (part of Future Characteristics)	UserParameterRequest (Table 11) UserParameterResponseDetails (Table 16) NominalVehicleParameters (Tables 15/41)
2a) CO ₂ emissions	Commission Regulation (EU) 2017/2400, Annex IV, Part II (Customer information file), 2.6.1 - Specific CO ₂ emissions [gCO2/tkm] (12.8.2022 edition) NB: point 2.3 in 12.8.2020 version	5.2.11	UserParameterRequest (Table 11) UserParameterResponseDetails (Table 16) NominalVehicleParameters (Tables 15/41)
2b) Initial registration date	<u>Council Directive 1999/37/EC</u> on the registration documents for vehicles, Annex I, Part I, II.5: (B) date of first registration of the vehicle	5.4.6	UserParameterRequest (Table 11) UserParameterResponseDetails (Table 16) NominalVehicleParameters (Tables 15/41)



Inventory of requirements 2(4)

What	EU legal provisions	FprEN ISO/FDIS 17573-3:2024	EN 16986:2024
2c) Vehicle group and vehicle sub-group	Commission Regulation (EU) 2017/2400, Annex I, Table 1 - Vehicle groups for vehicles of category N. Consolidated text of 01.01.2023, incorporating M1-M3 Regulation (EU) 2019/1242, Annex I, Table 1 - Vehicle	5.3.11 EuVehicleGroupmainEuVehicleGroupsubGroup	UserParameterRequest (Table 11) UserParameterResponseDetails (Table 16) NominalVehicleParameters (Tables 15/41)
2d) Reference CO2 emissions per vehicle	<u>Sub-groups (sg)</u> <u>Commission Implementing Decision (EU) 2021/781</u> , Annex II - reference CO2 emissions referred to in	N/a	N/a
sub-group	Regulation (EU) 2019/1242 (see slides 26-27 for details)		



Inventory of requirements 3(4)

What	EU legal provisions	FprEN ISO/FDIS 17573-3:2024	EN 16986:2024
3a) axle configuration	Commission Regulation (EU) 2017/2400, Annex I, Table 1 (vehicle groups for vehicles of category N), Axle configuration: 4 x 2, 4 x 4, 6 x 2, 6 x 4, 6 x 6, 8 x 2, 8 x 4, 8 x 6 and 8 x 8.	5.3.29 (wheels configuration)	UserParameterRequest (Table 11) UserParameterResponseDetails (Table 16) NominalVehicleParameters (Tables 15/41)
	Regulation (EU) 2019/1242, Annex I, Table 1 - Vehicle sub-groups (sg)		
3b) chassis configuration	Regulation (EU) 2019/1242, Art 3, definitions: (6) rigid lorry, (7) tractor	5.2.7	UserParameterRequest (Table 11) UserParameterResponseDetails (Table 16) NominalVehicleParameters (Tables 15/41)
3c) permissible maximum laden weight	Directive (EU) 2022/362, Art 3, Part I (data relating to vehicles) – technically permissible max. laden mass of the vehicle Directive 1999/37/EC, Annex I, (F.1) maximum technically permissible laden mass	5.2.69	UserParameterRequest (Table 11) UserParameterResponseDetails (Table 16) NominalVehicleParameters (Tables 15/41)



Inventory of requirements 4(4)

What	EU legal provisions	FprEN ISO/FDIS 17573-3:2024	EN 16986:2024
3d) Cab type	Regulation (EU) 2019/1242, Annex I, Table 1 - Vehicle sub-groups (sg), 1st para below the table "Sleeper cab' means a type of cab that has a compartment behind the driver's seat intended to be used for sleeping as reported in accordance with Regulation (EU) 2018/956"	5.2.6	UserParameterRequest (Table 11) UserParameterResponseDetails (Table 16) NominalVehicleParameters (Tables 15/41)
	Regulation (EU) 2018/956, Annex I, Part B: Data to be monitored and reported by manufacturers of heavy-duty vehicles, 2. Data to be monitored and reported: Data no 84: Sleeper cab (yes/no)		
3e) Engine power	Commission Directive 2003/127/EC, Annex I, II.5, (P.2) maximum net power (in kW) (if available),	5.3.10 (part of EngineDetails)	UserParameterRequest (Table 11) UserParameterResponseDetails (Table 16) NominalVehicleParameters (Tables 15/41)

4. Examples of the calculation of the CO_2 emission classes for HDVs





HDVs - Determination of CO₂ emissions classes per vehicle sub-group

How are the heavy-duty vehicle CO₂ emission classes defined?

- CO₂ emission classes are defined per vehicle sub-group (sg)
- Reference CO₂ emissions classes are specified by vehicle sg
- Relevant emission reduction trajectory is specified

→ Allows determination of the thresholds for CO_2 emission classes per vehicle sg, and hence the CO_2 emission class for a specific vehicle

Two examples are used to illustrate how to determine these in practice



HDVs - CO₂ emissions classes per vehicle sub-group

Directive <u>1999/62</u>, Article 7ga (2) defines the CO_2 emission classes for HDVs

- a) CO_2 emission class 1 vehicles that do not belong to any of the CO2 emission classes;
- b) CO₂ emission class 2 vehicles of the vehicle sg registered for the first time in the reporting period of the year Y with CO2 emissions more than 5 % below the emission reduction trajectory for the reporting period of the year Y and the vehicle sg but not belonging to any of the CO2 emission classes 3-5;
- c) CO₂ emission class 3 vehicles of the vehicle sub-group registered for the first time in the reporting period of the year Y with CO2 emissions more than 8 % below the emission reduction trajectory for the reporting period of the year Y and the vehicle sg not belonging to any of the CO2 emission classes 4-5;
- d) CO₂ emission class 4 low-emission HDVs (Art 2, point 30);
- e) CO₂ emission class 5 zero-emission vehicles (Art 2, point 29).

The classification of a vehicle belonging to CO_2 emission class 2 or 3 is reassessed every six years after the date of its first registration and that, where relevant, the vehicle is reclassified in the relevant emission class based on the thresholds applicable at that time



HDVs - reference CO_2 emissions for heavy-duty vehicle groups 1(2)

Commission Implementing Decision (EU) 2021/781, Annex II - Reference CO₂ emissions referred to in Article 1, second paragraph, of Regulation (EU) 2019/1242:

Below the reference CO_2 emissions for the sub-groups of **vehicle-duty vehicle groups 4, 5, 9 and 10** for the period from 1 July 2019 to 30 June 2020.

Sub-group sg	<i>rCO_{2sg}</i> in g/tkm
4-UD	307,23
4-RD	197,16
4-LH	105,96
5-RD	84,00
5-LH	56,60
9-RD	110,98
9-LH	65,16
10-RD	83,26
10-LH	58,26



HDVs - reference CO_2 emissions for heavy-duty vehicle groups 2(2)

Commission Implementing Decision (EU) 2023/2698, Annex I - Reference CO₂ emissions for vehicle groups not covered by Regulation (EU) 2019/1242:

Below the reference CO₂ emissions for the heavy-duty vehicle groups 1, 2, 3, 11, 12 and 16.

Vehicle group	Reference CO ₂ emissions in g/tkm
1	410,1
2	267,9
3	207,2
11	157,0
12	104,4
16	110,3



HDVs - emission reduction trajectory

Directive <u>1999/62</u>, Article 2 (point 37) defines the (CO_2) 'emission reduction trajectory'

for the reporting period of a year (Y) and vehicle sub-group (sg), namely ETY,sg, means the product of the annual CO₂ emissions reduction factor (R-ETY) times the reference CO₂ emissions (rCO₂sg) of the sub-group (sg), namely ETY,sg = R-ETY x rCO₂sg; for years Y ≤ 2030, R-ETY and rCO₂sg are both determined in accordance with point 5.1 of Annex I to Regulation (EU) 2019/1242; for years Y > 2030, R-ETY is 0,70; rCO₂sg applies as adjusted by delegated acts adopted in accordance with Article 11(2) of Regulation (EU) 2019/1242 for the reporting periods commencing after the respective dates of application of those delegated acts;

→

- HDVs reference CO₂ emission values and thresholds for classes 2-3
 - From 1 July 2019 to 30 June 2026 (a six-year period) a linear reduction of 2.5% per year
 - From 1 July 2026 to 30 June 2031 (a five-year period) a linear reduction of 3.0% per year



Thresholds for CO₂ emission classes per year per sg 5-LH

		ref Y	Y+1	Y+2	Y+3	Y+4	Y+5	Y+6	Y+7	Y+8	Y+9	Y+10	Y+11
	Year	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
	trajectory	100%	97.5%	95.0%	92.5%	90.0%	87.50%	85%	82.0%	79.0%	76.0%	73.0%	70.0%
Reference CO2													
emissions													
rCO _{2sg} in g/tkm	56.6	56.6	55.2	53.8	52.4	50.9	49.5	48.1	46.4	44.7	43.0	41.3	39.6
class 2	53.77	53.8	52.4	51.1	49.7	48.4	47.0	45.7	44.1	42.5	40.9	39.3	37.6
class 3	52.07	52.1	50.8	49.5	48.2	46.9	45.6	44.3	42.7	41.1	39.6	38.0	36.5
class 4 LE HDVs	28.30	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3
class 5 (ZEV)	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0



Thresholds for CO₂ emission classes per year per sg 5-LH

		ref Y	Y+1	Y+2	Y+3	Y+4	Y+5	Y+6	Y+7	Y+8	Y+9	Y+10	Y+11		
	Year	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030		
	trajectory	100%	97.5%	95.0%	92.5%	90.0%	87.50%	85%	82.0%	79.0%	76.0%	73.0%	70.0%		
Reference CO2															
emissions															
rCO _{2sg} in g/tkm	56.6	56.6	55.2	53.8	52.4	50.9	49.5	48.1	46.4	44.7	43.0	41.3	39.6		
class 2	53.77	53.8	52.4	51.1	49.7	48.4	47.0	45.7	44.1	42.5	40.9	39.3	37.6		
class 3	52.07	52.1	50.8	49.5	48.2	46.9	45.6	44.3	42.7	41.1	39.6	38.0	36.5		
class 4 LE HDVs	28.30	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3	28.3		
class 5 (ZEV)	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Example: threshold for class 2 at the time of the 1st reclassification											ime of			
										Example: threshold for class 3 at the time of the initial registration					

Example: specific CO₂ emissions 41.6 g/tkm, initial registration date 1 Aug 2021

- CO₂ emission class at the initial registration date: class 3
- CO₂ emission class at the 1st reclassification (6 years later, i.e. 1 Aug 2027): class 3



Thresholds for CO_2 emission classes per year per sg 10-RD

		ref Y	Y+1	Y+2	Y+3	Y+4	Y+5	Y+6	Y+7	Y+8	Y+9	Y+10	Y+11
	Year	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
	trajectory	100%	97.5%	95.0%	92.5%	90.0%	87.50%	85%	82.0%	79.0%	76.0%	73.0%	70.0%
Reference CO2													
emissions													
rCO _{2sg} in g/tkm	83.3	83.3	81.2	79.1	77.0	74.9	72.9	70.8	68.3	65.8	63.3	60.8	58.3
class 2	79.10	79.1	77.1	75.1	73.2	71.2	69.2	67.2	64.9	62.5	60.1	57.7	55.4
class 3	76.60	76.6	74.7	72.8	70.9	68.9	67.0	65.1	62.8	60.5	58.2	55.9	53.6
class 4 LE HDVs	41.63	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6
class 5 (ZEV)	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0



Thresholds for CO₂ emission classes per year per sg 10-RD

		ref Y	Y+1	Y+2	Y+3	Y+4	Y+5	Y+6	Y+7	Y+8	Y+9	Y+10	Y+11
	Year	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
	trajectory	100%	97.5%	95.0%	92.5%	90.0%	87.50%	85%	82.0%	79.0%	76.0%	73.0%	70.0%
Reference CO2													
emissions													
rCO _{2sg} in g/tkm	83.3	83.3	81.2	79.1	77.0	74.9	72.9	70.8	68.3	65.8	63.3	60.8	58.3
class 2	79.10	79.1	77.1	75.1	73.2	71.2	69.2	67.2	64.9	62.5	60.1	57.7	55.4
class 3	76.60	76.6	74.7	72.8	70.9	68.9	67.0	65.1	62.8	60.5	58.2	55.9	53.6
class 4 LE HDVs	41.63	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	-41.6	41.6	41.6
class 5 (ZEV)	0.00	0.0	0.0	\ 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		-						_					
	Example: threshold for class 3 at the time of					he time of	Ex	ample: th	reshold for	class 3 at t	he time		
	the initial registration					of	the 1st red	classificatior	า				

Example: specific CO₂ emissions 61.2 g/tkm, initial registration date 5 April 2021

- CO₂ emission class at the initial registration date: class 3
- CO₂ emission class at the 1st reclassification (6 years later, i.e. 5 April 2027): class 3

5. Update on new developments since Feb 2024





Update of regulation 2019/1242 "CO₂ emission performance for new HDVs"

- Regulation 2019/1242 has been amended by Regulation 2024/1610 and must be applied from 1 July 2024
- Main changes are:
 - Inclusion of further vehicle categories in the scope (M2, M3, N1, N2, N3, O3 and O4)
 - Definition of vehicle subgroups for every vehicle group
 - Introduction of a new vehicle property (operational range) for assigning subgroups and therefore potential re-classification of existing vehicles
 - New definition of zero-emission vehicles
 - New or updated emission reduction curves for vehicle subgroups

	CO2 emissio	ns reduction targe	ets rf_{sg} and rfp_{sg}				
Vahiala sub groups	Reporting periods of the years						
Vehicle sub-groups	2025 - 2029	2030 - 2034	2035 - 2039	As from 2040			
Medium lorries 53, 54		0	43 %	64 %	90 %		
Heavy lorries > 7,4t	1s, 1, 2, 3	0	43 %	64 %	90 %		
Heavy lorries > 16 t with 4x2 and 6x4 axle configurations	4-UD, 4-RD, 4-LH, 5-RD, 5-LH, 9-RD, 9-LH, 10-RD, 10-LH	15 %	43 %	64 %	90 %		
Heavy lorries > 16 t with special axle configurations	11, 12, 16	0	43 %	64 %	90 %		
Vocational vehicles	53v, 1sv, 1v, 2v, 3v, 4v, 5v, 9v, 10v, 11v, 12v, 16v	0	0	64 %	90 %		

* Further definitions for buses and trailers in the regulation



Update of reference values and new reference values for vehicle subgroups

- Existing reference values for vehicle subgroups 4, 5, 9 and 10 are likely to be updated in Q4 2024
- Reference values for subgroups 1,2,3,11,12 and 16 are to be published in Q1 2025. The publication of <u>2023/2698</u> is irrelevant since it covers the reference period 1.7.2020 to 30.06.2021. The reduction curve according to <u>2024/1610</u> starts on 1.7.2021. Therefore, new reference values must be used. They will be in effect, 20 days after their publication. That means that there is little time before CO₂ emission classes for these subgroups must be used in tolling systems.

New Euro 7 legislation

- In May 2024, Regulation <u>2024/1257</u> has been published "on type-approval of motor vehicles and engines and of systems, components and separate technical units intended for such vehicles, with respect to their emissions and battery durability (Euro 7)"
- New Euro 7 classes: Euro 7G, Euro 7ext, Euro 7Gext
 - G geofencing technology to monitor driving in zero emission mode
 - Ext type approval of N2 vehicles based on N1 vehicle requirements
 - Gext combination of both properties
 - Euro 7 classes for N1 vehicles (I, II and III)



Impact of new legislation on EU tolling schemes

- Toll schemes that already have or plan to implement it in the future, need to respect the new or updated rules for determination of the CO₂ emission class of a vehicle
- Vehicles that could not be categorized so far, because of missing reference values, can now be assigned better CO₂ emission classes than 1
- New rules need to be implemented for re-classification of vehicles 6 years after initial registration or vehicles with an initial registration date after 1.7.2025 (new reference values for subgroups 4, 5, 9 and 10)

>CO₂ emission calculators need to be significantly updated

- Inclusion of almost all types of vehicles into the CO₂ reduction schemes (buses), different treatment of vocational vehicles needs to be applied
- Complex interactions of different dates of entry into force need to be analysed (begin of reduction curves, publication of reference values, initial registration dates of vehicles)
- A number of details of actual implementation of these new rules could be clarified with the EC. Some points remain open (e.g. which initial registration date needs to be recognized for classification of subgroups 1,2,3,11,12 and 16)



Impact of new legislation on standards

• The following new parameters have been implemented in ISO/FDIS 17575-3 and ISO/FDIS 12855:

Subtype

EuroValueSubClass ::= INTEGER {						
noEntry	(0),					
euro7G	(1),					
euro7ext	(2),					
euro7Gext	(3)					
(4-255) are reserved for fu	uture CEN and ISO use					
}(0255)						

Table 27 — EuroValueSubClass

Parent type	Semantics
	EuroValueSubClass represents the vehicle's sub-category which is defined for certain Euro emission categories as defined in the EU Regulation cited in Reference [12].
	The following semantics are assigned:
	 euro7G: Indicating a subgroup for vehicles equipped with internal combustion engines with geofencing technologies. NOTE These vehicles are equipped with a driver warning system to inform the user when the traction batteries are nearly empty and to stop the vehicle if not charged within 5 kilometres from the first warning while on zero-emission mode inside the geofencing area;
	 euro7ext: Indicating a subgroup for vehicles of category N2 between 3,5 and 5 tonnes maximum mass originating from a type of vehicle of category N1 if the vehicle meets the requirements for a type of vehicle of category N1;
	 euro7Gext: Indicating a subgroup for vehicles that meet both the characteristics of euro7g and euro7ext.

Table 64 — VehicleOperationalRange

VechicleOperationalRange ::= Int2Unsigned

Subtype	Parent type	Semantics
Int2Unsigned		VehicleOperationalRange defines the distance a vehicle can travel under long haul transport conditions without being re- charged or re-filled. The value shall be stated in km.

Update of VehicleDescription was done during

implementation of DIS comments in ISO/FDIS 12855

Want to know more or participate?

Co-ordination of EFC standardization in ISO/TC 204/WG 5 and CEN/TC 278/WG 1

Andreas Kaltenbach, WG Expert T +43 50108 12647 andreas.kaltenbach@asfinag.at Jesper Engdahl, WG Convenor T +41 58 595 78 53 jesper.engdahl@rapp.ch

Daniel Ohst, WG Expert

T +43 176 61609476 daniel.ohst@rapp-trans.de

Acknowledgement



A big thank you to the task force of CEN/TC 278/WG1 that assessed the impact of the updated Directive 1999/62 on EFC standards. Some of the slides in this presentation, under "2. Impact of the updated Directive 1999/62 on EFC standards', are based on slides prepared by the TF with its kind permission.